KitchenAid®

BLADE COFFEE GRINDER

INSTRUCTIONS





1-800-541-6390 Details Inside



Hassle-Free Total Replacement Warranty



We're so confident the quality of our products meets the exacting standards of KitchenAid that, if your coffee grinder should fail within

the first year of ownership, KitchenAid will arrange to deliver an identical or comparable replacement to your door free of charge and arrange to have your "failed" coffee grinder returned to us. Your replacement unit is covered by our one year full warranty. Please follow these instructions to receive this quality service.

If you reside in the United States and your KitchenAid® Blade Coffee Grinder should fail within the first year of ownership, simply call our toll-free Customer Satisfaction Center at **1-800-541-6390**, 8 a.m. to 8 p.m., Monday through Friday, 9 a.m. to 3 p.m., Saturday, Eastern Time.

Give the consultant your complete shipping address (no P.O. Box Numbers, please), along with your complete model and serial number.

Upon receipt of the replacement product, put the "failed" blade coffee grinder in the new carton, along with a sheet of paper with your name and address on it, and a copy of the proof of purchase (register receipt, credit card charge slip, etc.) Attach shipping label and return to UPS.

The consultant will also identify the Authorized Service Center nearest your location.

Product Registration Card

Before you use your coffee grinder, please fill out and mail your product registration card packed with the unit. This card will enable us to contact you in the unlikely event of a product safety notification and assist us in complying with the provisions of the Consumer Product Safety Act. THIS CARD DOES NOT VERIFY YOUR WARRANTY.

Keep a copy of the sales receipt showing the date of purchase of your coffee grinder. PROOF OF PURCHASE WILL ASSURE YOU OF IN-WARRANTY SERVICE.

Please complete the following for your personal records:

Model Number _	
Serial Number	
Date Purchased _	
Store Name	

Table of Contents

Hassle-Free Total Replacement Warranty	2
Product Registration Card	
Important Safeguards	4
Warranty	
How To Arrange For Service – USA Only	
Standard First Year Warranty	
How To Arrange For Service – Outside The USA	
If You Need Service or Assistance	6
How to Obtain Service	
Electrical Requirements	7
Coffee Grinder Features	
Coffee Grinder Operating Instructions	
Care and Cleaning	

The KitchenAid® Blade Coffee Grinder is designed to deliver the same quality and reliability that have been built into KitchenAid® stand mixers for more than 75 years.

Your safety and the safety of others are very important.

We have provided many important safety messages in this manual and on your appliance. Always read and obey all safety messages.



This is the safety alert symbol.

This symbol alerts you to potential hazards that can kill or hurt you and others.

All safety messages will follow the safety alert symbol and either the word "DANGER" or "WARNING." These words mean:



You can be killed or seriously injured if you don't immediately follow instructions.



You can be killed or seriously injured if you don't follow instructions.

All safety messages will tell you what the potential hazard is, tell you how to reduce the chance of injury, and tell you what can happen if the instructions are not followed.

IMPORTANT SAFEGUARDS

When using electrical appliances, basic safety precautions should always be followed including the following:

- 1. Read all instructions.
- 2. To protect against risk of electric shock do not put coffee grinder in water or other liquid.
- 3. Close supervision is necessary when any appliance is used by or near children.
- 4. Unplug coffee grinder from outlet when not in use, before putting on or taking off parts, and before cleaning.
- 5. Avoid contacting moving parts.
- 6. Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions, or is dropped or damaged in any manner. Return appliance to the nearest authorized service facility for examination, repair or electrical or mechanical adjustment.
- 7. The use of attachments not recommended or sold by KitchenAid may cause fire, electric shock, or injury.
- 8. Do not use outdoors.
- 9. Do not let cord hang over edge of table or counter, or touch hot surfaces.
- 10. Check hopper for presence of foreign objects before using.
- 11. This product is designed for household use only.

SAVE THESE INSTRUCTIONS

KitchenAid® Blade Coffee Grinder Warranty – USA

This warranty extends to the purchaser and any succeeding owner for coffee grinders operated in the 50 United States and the District of Columbia. For units operated in Puerto Rico, the Standard First Year Warranty applies (see page 6) and is a Limited Warranty because you must pay to ship the coffee grinder to an Authorized KitchenAid Service Center.

Length of	KitchenAid	KitchenAid
Warranty:	Will Pay For:	Will Not Pay For:
One Year Full warranty from date of purchase.	Total Replacement Policy. (See page 2 for details.) OR Replacement parts and repair labor costs to correct defects in materials and workmanship. Service must be provided by an Authorized KitchenAid Service Center.	A. Repairs when coffee grinder is used in other than normal home use. B. Damage resulting from accident, alteration, misuse or abuse. C. Any shipping or handling costs to deliver your coffee grinder to an Authorized Service Center. D. Replacement parts or repair labor costs for coffee grinder operated outside the 50 United States, the District of Columbia or Puerto Rico.

KITCHENAID DOES NOT ASSUME ANY RESPONSIBILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

How To Arrange For Service – USA Only

If the coffee grinder is operated in the 50 United States or the District of Columbia, you may use either the Total Replacement Warranty program or our Standard First Year Warranty program. (See pages 2 and 6.) Residents of Puerto Rico must use the Standard First Year Warranty program. You may also use the information listed under Standard First Year Warranty to arrange for service after your warranty expires.

Standard First Year Warranty

(Required Warranty Service for Puerto Rico)

Take the coffee grinder or ship prepaid and insured to the nearest Authorized Service Center (nearest Authorized Service Center location can be obtained by calling **1-800-541-6390**, 8 a.m. to 8 p.m., Monday through Friday, 9 a.m. to 3 p.m., Saturday, Eastern time.) Your repaired coffee grinder will be returned to you prepaid and insured. During the warranty period, all local service must be handled by an Authorized KitchenAid Service Center.

After the warranty period you may use any servicer you like, but we recommend Authorized KitchenAid Service. If you are unable to obtain satisfactory service in this manner, contact the Customer Satisfaction Center, KitchenAid Portable Appliances, P.O. Box 218, St. Joseph, Michigan 49085-0218. Call toll-free: 1-800-541-6390, 8 a.m. to 8 p.m., Monday through Friday, 9 a.m. to 3 p.m., Saturday, Eastern time.

How To Arrange For Service – Outside The USA

To arrange for service for units operated outside the 50 United States, District of Columbia and Puerto Rico, consult your local KitchenAid dealer or the store where you purchased the coffee grinder for information on how to obtain service locally.

If You Need Service or Assistance

KEEP A COPY OF THE SALES RECEIPT SHOWING THE DATE OF PURCHASE. PROOF OF PURCHASE WILL ASSURE YOU OF IN-WARRANTY SERVICE. If your coffee grinder should malfunction or fail to operate, check the following:

- Is the coffee grinder plugged in?

If You Need Service or Assistance (continued)

- Is the fuse in the circuit to the coffee grinder in working order?
 If you have a circuit breaker box, be sure the circuit is closed.
- Try unplugging and re-plugging the coffee grinder.
- If the coffee grinder is not at room temperature, wait until unit reaches room temperature and retry.
- If the problem is not due to one of the above items, see "Warranty" on page 5.
- DO NOT return the coffee grinder to the retailer. Retailers do not provide warranty service.

How To Obtain Service

HOW TO OBTAIN SERVICE FOR UNITS OPERATED IN THE 50 UNITED STATES, DISTRICT OF COLUMBIA AND PUERTO RICO

- 1. Call toll-free 1-800-541-6390 to arrange for service, or write to: Customer Satisfaction Center, KitchenAid Portable Appliances, P.O. Box 218, St. Joseph, MI 49085-0218.
- Look in your local phone directory Yellow Pages, under "Appliances, Small - Repair and Service."
- 3. Parts for your coffee grinder can also be obtained by calling 1-800-541-6390.

Electrical Requirements

Volts: 120 A.C. only

Hertz: 60

Note: This coffee grinder has a polarized plug (one blade is wider than the other). To reduce the risk of electrical shock, this plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not modify the plug in any way.

A short power-supply cord is provided to reduce the risk resulting from becoming entangled in or tripping over a longer cord.

Extension cords are available and may be used if care is exercised in their use.

If a longer extension cord is used,

- The marked electrical rating of the extension cord should be at least as great as the electrical rating of the appliance.
- The cord should be arranged so it will not drape over the countertop or tabletop where it can be pulled on by children or tripped over unintentionally.

Blade Coffee Grinder Features



Blade Coffee Grinder Features

Clear Top Cover

Cover must be engaged into place to operate coffee grinder. Top cover is dishwasher safe.

Stainless Steel 4-Ounce Capacity Bowl

Bowl has measurement markings etched inside, for ease of processing the amount of beans needed. It locks into the motor housing with a clockwise turn. Dishwasher safe.

Stainless Steel Blade

Blade is mounted inside stainless steel bowl.

Dual Safety Switch System

Dual switch mechanism prevents the coffee grinder from operating until the top cover is correctly positioned over side guides on the motor housing.

Heavy Duty Motor HousingKeeps grinder stable during operation.

Reeps grinder stable during operation

Round Power Cord

Cleans easily.

Blade Coffee Grinder Operating Instructions


Before First Use

 Wash bowl and top cover in hot, soapy water. Rinse and dry. Handle the blade carefully. Bowl and top cover can also be washed in the dishwasher (top rack only).

Blade Coffee Grinder Use

- Be sure the coffee grinder is unplugged. Make sure inside of top cover is free of coffee grinds or residue.
- 2. Secure the bowl to the motor housing by placing the bowl on top and turning clockwise to lock in place.
- 3. Place whole coffee beans in the bowl to be processed. Fill the bowl to no more than the Maximum Fill line marked on the inside of the bowl as recommended by KitchenAid. Various bean blends and bean sizes can cause differences in fill levels/grind times. Generic markings inside the bowl will help you adjust the amount of grounds to your liking.
- Position Top Cover over bowl so that it slides over the side guides on the motor housing. NOTE: Make sure both cover and bowl are in position, otherwise the coffee grinder will not operate.

- 5. Plug power cord into electrical outlet.
- 6. Press down Top
 Cover to start
 processing.
 (For optimum
 grinding results,
 do not pulse top
 cover.) Continue
 grinding until all
 the beans are



- 7. To stop processing, release pressure on Top Cover.
- 8. Unplug the appliance.
- Wait until the blade has stopped rotating and remove Top Cover.
- 10.Unlock bowl by turning it counterclockwise. Remove bowl from the motor housing.
- 11. Pour out ground coffee.



Grinding Tips

- Grind only beans you will immediately use for freshest tasting coffee.
- Adjust amount of coffee beans and grinding time to suit your own personal taste. Shorter grinding time results in coarser grinds. Longer grinding times result in finer grinds, but can overheat the coffee grinds and valuable coffee flavors can be lost. (For optimum grinding results, do not pulse top cover.)
- KitchenAid does not recommend using this grinder to grind beans for pump espresso type machines.
- The Suggested Grinding Chart (right) shows recommended grinding times at various levels for automatic drip coffee makers and french press machines.

SUGGESTED GRINDING CHART

AUTOMATIC DRIP COFFEE MAKERS AND FRENCH PRESS MACHINES

MAXIMUM FILL LINE Grind Time = 20 sec. Automatic Drip



16 TBSP

MIDDLE LINE
Grind Time = 17 sec.
Automatic Drip



12 TBSP

BOTTOM LINE
Grind Time = 15 sec.
Automatic Drip



9 TBSP

FRENCH PRESS MACHINES

require a course grind. For optimum results, process beans continuously until desired grind size is achieved.

Care and Cleaning

- 1. Always unplug coffee grinder before cleaning.
- Remove the bowl and top cover. Wash in hot, soapy water, rinse and dry. Bowl and top cover can also be washed in the dishwasher (top rack only). After removing from dishwasher, allow to cool before assembling.
- Wipe the motor housing clean with a damp, soft cloth. DO NOT use abrasive cleaners. DO NOT IMMERSE THE MOTOR HOUSING IN WATER.
- 4. Wipe cord with warm, sudsy cloth; then wipe clean with damp cloth. Dry with soft cloth.
- 5. Reassemble your coffee grinder after cleaning.



FOR THE WAY IT'S MADE.™

 ${\rm \rlap{R}}$ Registered Trademark/ ${\rm \rlap{\sc T}}^{\rm m}$ Trademark of KitchenAid, U.S.A.